

CE  
PENDING

XPIRATOR™

Thrombus Aspiration Catheter



Nano Science for Innovative Therapies



Plot No. D-54/2, Hojiwala Industrial Estate, Road No. 23, Near Gate No. 3,  
Sachin Palsana Highway, Sachin, Surat- 394 230, Gujarat, India.

T: +91 261 6450898, 6450853 F: +91 261 2392444

[info@nano-therapeutics.net](mailto:info@nano-therapeutics.net) | [sales@nano-therapeutics.net](mailto:sales@nano-therapeutics.net) | [www.nano-therapeutics.net](http://www.nano-therapeutics.net)



**XPIRATOR™** Catheter is single – use, dual lumen catheter. It has a distal radiopaque tip marker and proximal luer- lock port. The proximal luer-lock port is for connection of the Aspiration Line and Aspiration Syringe.

**Xpirator Thrombus Aspiration Catheter consists of**

- Kink resistance dual Lumen Catheter
- Aspiration syringe
- Extension Line with stopcock
- Two Cell Strainers



**Product Highlights**

- Largest Extraction Lumen Area (0.93 mm<sup>2</sup>) as compared to other market available aspiration Catheter.
- High kink-resistance with use of stiffening stylet.
- Superior Aspiration Performance, Aspiration Speed of 1.60 cc/s
- Tapered Tip for smooth catheter transition.
- Visibility & Easy Positioning.
- Enhanced Pushability, Trackability & Crossability.

Extraction Lumen  
Extraction Lumen Area 0.93 mm<sup>2</sup>

Guidewire Lumen,  
Guidewire Compatibility: Ø 0.014"



**Technical Specifications**

	6F	7F
Vessel Diameter	≥ 2.00 mm (0.078")	≥ 2.25 mm (0.088")
Catheter Design	Rapid Exchange	Rapid Exchange
Catheter Usable Length	145 cm	145 cm
Shaft Diameter	Tip: 0.021"	Tip: 0.021"
	Distal: 5.0F	Distal: 5.9F
Tip Length	Proximal: 3.8F	Proximal: 4.8F
	3.0 mm	3.0 mm
Crossing Profile	0.0683"	0.0765"
Maximum Recommended Guidewire	0.014"	0.014"
Distal Coating (25 cm)	Hydrophilic	Hydrophilic
Extraction Lumen Area	0.93 mm <sup>2</sup>	1.43 mm <sup>2</sup>

**Ordering Information**

6F	7F
6F-XT-TAC	7F-XT-TAC